

Material Name: 25% Oxygen in Argon, Gas Mix SDS ID: 00244256

# \* \* \*Section 1 - IDENTIFICATION\* \* \*

#### **Manufacturer Information**

MATHESON TRI-GAS, INC. 150 Allen Road, Suite 302 Basking Ridge, NJ 07920 General Information: 1-800-416-2505

Emergency #: 1-800-424-9300 (CHEMTREC)
Outside the US: 703-527-3887 (Call collect)

# Product Identifier: 25% Oxygen in Argon, Gas Mix

**Product Use** 

industrial

**Restrictions on Use** 

None known.

# \* \* \*Section 2 - HAZARDS IDENTIFICATION\* \* \*

# **GHS Classification**

Oxidizing gas, Category 1
Gas under pressure, Compressed gas

#### **GHS LABEL ELEMENTS**

# Symbol(s)



## Signal Word

**DANGER** 

#### Hazard Statement(s)

May cause or intensify fire; oxidizer

Contains gas under pressure; may explode if heated

### **Precautionary Statement(s)**

#### Prevention

Keep away from clothing and other combustible materials. Keep reduction valves free from grease and oil.

### Response

In case of fire: Stop leak if safe to do so.

# **Storage**

Store in a well-ventilated place. Protect from sunlight.

### Other Hazards which do not Result in Classification

May cause asphyxia. May cause frostbite upon sudden release of compressed gas.

# \* \* \*Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS\* \* \*

| CAS#      | Component         | Percent |
|-----------|-------------------|---------|
| 7440-37-1 | Argon, Compressed | 75      |

Page 1 of 7 Issue Date: 12/09/2014 Revision 1.1400 Print Date: 12/09/2014

Material Name: 25% Oxygen in Argon, Gas Mix SDS ID: 00244256

| 7782-44-7 | Oxygen | 25 |
|-----------|--------|----|
|-----------|--------|----|

# \* \* \*Section 4 - FIRST AID MEASURES\* \* \*

#### Inhalation

If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.

### Skin

If frostbite or freezing occur, immediately flush with plenty of lukewarm water (105-115 F; 41-46 C). DO NOT USE HOT WATER. If warm water is not available, gently wrap affected parts in blankets. Get immediate medical attention.

# Eyes

Flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.

## Ingestion

If a large amount is swallowed, get medical attention.

# **Note to Physicians**

For inhalation, consider oxygen.

# **Symptoms: Immediate**

frostbite, suffocation

# Symptoms: Delayed

No information on significant adverse effects.

# \* \* \*Section 5 - FIRE FIGHTING MEASURES\* \* \*

See Section 9 for Flammability Properties

## Specific Hazards Arising from the Chemical

Negligible fire hazard. May ignite or explode on contact with combustible materials. Containers may rupture or explode if exposed to heat.

# **Extinguishing Media**

carbon dioxide, regular dry chemical

## **Unsuitable Extinguishing Media**

None known.

### **Protective Equipment and Precautions for Firefighters**

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

### **Fire Fighting Measures**

Move container from fire area if it can be done without risk. Cool containers with water spray until well after the fire is out. Stay away from the ends of tanks. For fires in cargo or storage area: Cool containers with water from unmanned hose holder or monitor nozzles until well after fire is out. If this is impossible then take the following precautions: Keep unnecessary people away, isolate hazard area and deny entry. Let the fire burn. Use extinguishing agents appropriate for surrounding fire. Cool containers with water. Apply water from a protected location or from a safe distance.

# \* \* \*Section 6 - ACCIDENTAL RELEASE MEASURES\* \* \*

#### **Personal Precautions**

Wear personal protective clothing and equipment, see Section 8.

# **Environmental Precautions**

Avoid release to the environment.

#### **Methods for Containment**

Keep unnecessary people away, isolate hazard area and deny entry. Ventilate closed spaces before entering.

Page 2 of 7 Issue Date: 12/09/2014 Revision 1.1400 Print Date: 12/09/2014

Material Name: 25% Oxygen in Argon, Gas Mix SDS ID: 00244256

## **Cleanup Methods**

Stop leak if possible without personal risk. Avoid contact with combustible materials.

# \* \* \*Section 7 - HANDLING AND STORAGE\* \* \*

### **Handling Procedures**

Wash thoroughly after handling.

### **Storage Procedures**

Store and handle in accordance with all current regulations and standards. Store in a well-ventilated area. Protect from sunlight. See original container for storage recommendations. Keep separated from incompatible substances.

**Incompatibilities** amines, bases, combustible materials, halo carbons, metal salts, metals, oxidizing material, reducing agents

# \* \* \*Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION\* \* \*

# **Component Exposure Limits**

# Argon, Compressed (7440-37-1)

**ACGIH:** Simple asphyxiant (See Appendix F: Minimal Oxygen Content)

# **Component Biological Limit Values**

There are no biological limit values for any of this product's components.

## **Engineering Controls**

Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits

### PERSONAL PROTECTIVE EQUIPMENT

#### Eyes/Face

For the gas: Eye protection not required, but recommended. For the liquid: Wear splash resistant safety goggles with a faceshield. Contact lenses should not be worn. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

#### **Protective Clothing**

For the gas: Protective clothing is not required. For the liquid: Wear appropriate protective, cold insulating clothing.

#### **Glove Recommendations**

For the gas: Protective gloves are not required, but recommended. For the liquid: Wear insulated gloves.

# **Respiratory Protection**

The following respirators and maximum use concentrations are drawn from NIOSH and/or OSHA.

At any detectable concentration -

Any self-contained breathing apparatus that has a full face piece and is operated in a pressure-demand or other positive pressure mode.

Any supplied-air respirator with a full face piece that is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained apparatus operated pressure-demand or other positive-pressure mode.

Escape-

Any air purifying full-face piece respirator (gas mask) with a chin-style, front-mounted or back-mounted canister providing protection against the compound of concern.

Any appropriate escape-type, self-contained breathing apparatus.

For Unknown Concentrations or Immediately Dangerous to Life or Health-

## Material Name: 25% Oxygen in Argon, Gas Mix

Any supplied-air respirator with a full face piece that is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained breathing apparatus operated in pressure-demand or other positive-pressure mode.

SDS ID: 00244256

Any self-contained breathing apparatus that has a full face piece and is operated in a pressure-demand or other positive-pressure mode.

# \* \* \*Section 9 - PHYSICAL AND CHEMICAL PROPERTIES\* \* \*

Physical State: gas Appearance: Colorless gas

Color:colorlessPhysical Form:compressed gasOdor:odorlessOdor Threshold:Not available

pH:Not availableMelting/Freezing Point:Not availableBoiling Point:Not availableFlash Point:non-flammable

Decomposition: Not available Evaporation Rate: Not available UEL: Not available UEL: Not available

 Vapor Pressure:
 Not available

 Specific Gravity (water=1):
 Not available

 Vapor Density (air = 1):
 Not available

 Water Solubility:
 Not available

 Coeff Water/Oil Dist:
 Not available

Log KOW: Not available Coeff. Water/Oil Dist: Not available Auto Ignition: Not available Viscosity: Not available

# \* \* \*Section 10 - STABILITY AND REACTIVITY\* \* \*

### **Chemical Stability**

Stable at normal temperatures and pressure.

#### **Conditions to Avoid**

Avoid heat, flames, sparks and other sources of ignition. Avoid contact with combustible materials. Containers may rupture or explode if exposed to heat.

## **Possibility of Hazardous Reactions**

Will not polymerize.

# **Incompatible Materials**

amines, bases, combustible materials, halo carbons, metal salts, metals, oxidizing material, reducing agents

#### **Decomposition Products**

miscellaneous decomposition products

# \* \* \*Section 11 - TOXICOLOGICAL INFORMATION\* \* \*

# **Acute and Chronic Toxicity**

# Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and no selected endpoints have been identified.

## **RTECS Acute Toxicity (selected)**

The components of this material have been reviewed and RTECS publishes no data as of the date on this document.

#### **Immediate Effects**

frostbite, suffocation

#### **Delayed Effects**

No information on significant adverse effects.

# Irritation/Corrosivity Data

No animal testing data available for skin or eyes.

Material Name: 25% Oxygen in Argon, Gas Mix SDS ID: 00244256

#### **RTECS Irritation**

The components of this material have been reviewed and RTECS publishes no data as of the date on this document.

# **Respiratory Sensitizer**

No data available.

## **Dermal Sensitizer**

No data available.

#### Carcinogenicity

### **Component Carcinogenicity**

None of this product's components are listed by ACGIH, IARC, NTP, OSHA or DFG.

# **Mutagenic Data**

No data available for the mixture.

# **RTECS Mutagenic**

The components of this material have been reviewed, and RTECS publishes data for one or more components.

# **Reproductive Effects Data**

No data available for the mixture.

### **RTECS Reproductive Effects**

The components of this material have been reviewed, and RTECS publishes the following endpoints:

## Oxygen (7782-44-7)

10 pph Inhalation Mouse TCLo (24 hour, pregnant 8 day(s)); 10 pph Inhalation Rat TCLo (9 hour, pregnant 22 day(s)); 10 pph Inhalation Rat TCLo (12 hour, pregnant 22 day(s)); 12 pph Inhalation Woman TCLo (10 minute(s), pregnant 26-39 week)

#### **Tumorigenic Data**

No data available for the mixture.

## **RTECS Tumorigenic**

The components of this material have been reviewed, and RTECS publishes data for one or more components.

### Specific Target Organ Toxicity - Single Exposure

No data available.

# **Specific Target Organ Toxicity - Repeated Exposure**

No data available.

# **Aspiration Hazard**

Not applicable.

#### Medical Conditions Aggravated by Exposure

None known.

# \* \* \*Section 12 - ECOLOGICAL INFORMATION\* \* \*

## **Component Analysis - Aquatic Toxicity**

No LOLI ecotoxicity data are available for this product's components.

# Persistence and Degradability

No data available for the mixture.

#### **Bioaccumulative Potential**

No data available for the mixture.

### **Mobility in Environmental Media**

No data available for the mixture.

Material Name: 25% Oxygen in Argon, Gas Mix SDS ID: 00244256

# \* \* \*Section 13 - DISPOSAL CONSIDERATIONS\* \* \*

### **Disposal Methods**

Dispose in accordance with all applicable regulations. Subject to disposal regulations: U.S. EPA 40 CFR 262. Hazardous Waste Number(s): D001.

# **Component Waste Numbers**

The U.S. EPA has not published waste numbers for this product's components.

# \* \* \*Section 14 - TRANSPORT INFORMATION\* \* \*

### **US DOT Information**

**Shipping Name:** Compressed gas, oxidizing, n.o.s. (Contains: Argon, Compressed, Oxygen)

UN/NA #: UN3156 Hazard Class: 2.2

Required Label(s): 2.2, 5.1

#### **IMDG** Information

Shipping Name: Compressed gas, oxidizing, n.o.s. (Contains: Argon, Compressed, Oxygen)

**UN #:** UN3156 **Hazard Class:** 2.2 **Required Label(s):** 2.2, 5.1, +

# \* \* \*Section 15 - REGULATORY INFORMATION\* \* \*

# **Component Analysis**

## **U.S. Federal Regulations**

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

### SARA 311/312 Hazardous Categories

Acute Health: Yes Chronic Health: No Fire: Yes Pressure: Yes Reactive: No

# **U.S. State Regulations**

The following components appear on one or more of the following state hazardous substances lists:

| Component         | CAS       | CA | MA  | MN  | NJ  | PA  |
|-------------------|-----------|----|-----|-----|-----|-----|
| Argon, Compressed | 7440-37-1 | No | Yes | Yes | Yes | Yes |
| Oxygen            | 7782-44-7 | No | Yes | No  | Yes | Yes |

Not regulated under California Proposition 65

# **Component Analysis - Inventory**

| Component         | CAS       | US  | CA  | EU  | AU  | PH  | JP | KR  | CN  | NZ  |
|-------------------|-----------|-----|-----|-----|-----|-----|----|-----|-----|-----|
| Argon, Compressed | 7440-37-1 | Yes | DSL | EIN | Yes | Yes | No | Yes | Yes | Yes |
| Oxygen            | 7782-44-7 | Yes | DSL | EIN | Yes | Yes | No | Yes | Yes | Yes |

# \* \* \*Section 16 - OTHER INFORMATION\* \* \*

NFPA Ratings: Health: 2 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Material Name: 25% Oxygen in Argon, Gas Mix SDS ID: 00244256

## Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU -Australia: BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CN - China; CPR -Controlled Products Regulations: DFG - Deutsche Forschungsgemeinschaft: DOT - Department of Transportation: DSL - Domestic Substances List; EEC - European Economic Communicty; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU - European Union; F - Farenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IMDG - International Maritime Dangerous Goods: JP - Japan: Kow - Octanol/water partition coefficient: KR - Korea: LEL - Lower Explosive Limit; LOLI - List Of LIsts™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH -National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH -Philippines: RCRA - Resource Conservation and Recovery Act: RID - European Rail Transport: RTECS - Registry of Toxic Effects of Chemical Substances®; SARA - Superfund Amendments and Reauthorization Act; STEL -Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States

### Other Information

Matheson Tri-Gas, Inc. makes no express or implied warranties, guarantees or representations regarding the product or the information herein, including but not limited to any implied warranty or merchantability or fitness for use. Matheson Tri-Gas, Inc. shall not be liable for any personal injury, property or other damages of any nature, whether compensatory, consequential, exemplary, or otherwise, resulting from any publication, use or reliance upon the information herein.

End of Sheet 00244256