

Safety Data Sheet

Material Name: NITROUS OXIDE

SDS ID: 00232583

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: NITROUS OXIDE

Manufacturer Information

POLAR CRYOGENICS
2734 SE Raymond
Portland, OR 97202

General Information: (800) 426-0689
Emergency #: 1-800-424-9300 (CHEMTREC)
Outside the US: 703-527-3887 (Call collect)

Chemical Family

inorganic, gas

Synonyms

MTG MSDS 70; DINITROGEN MONOXIDE; FACTITIOUS AIR; LAUGHING GAS; HYPONITROUS ACID ANHYDRIDE; NITROGEN (I) OXIDE; NITROGEN OXIDE; UN 1070; NITROGEN OXIDE (N₂O); DINITROGEN OXIDE; NITROUS OXIDE, COMPRESSED; N₂O; RTECS: QX1350000

Section 2 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Color: colorless

Physical Form: gas

Odor: sweet odor

Health Hazards: potentially fatal if inhaled, central nervous system depression, difficulty breathing

Physical Hazards: Containers may rupture or explode if exposed to heat.

POTENTIAL HEALTH EFFECTS

Inhalation

Short Term: nausea, vomiting, symptoms of drunkenness, hyperactivity or drowsiness, hearing loss, suffocation, death

Long Term: tingling sensation, impotence, reproductive effects

Skin

Short Term: blisters, frostbite

Long Term: no information is available

Eye

Short Term: frostbite, blurred vision

Long Term: no information is available

Ingestion

Short Term: frostbite

Long Term: no information is available

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component	Percent
10024-97-2	NITROUS OXIDE	100.0

Safety Data Sheet

Material Name: NITROUS OXIDE

SDS ID: 00232583

Section 4 - FIRST AID MEASURES

Inhalation

If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.

Skin

If frostbite or freezing occur, immediately flush with plenty of lukewarm water (105-115 F; 41-46 C). DO NOT USE HOT WATER. If warm water is not available, gently wrap affected parts in blankets. Get immediate medical attention.

Eyes

Flush eyes with plenty of water.

Ingestion

If a large amount is swallowed, get medical attention.

Note to Physicians

For inhalation, consider oxygen.

Section 5 - FIRE FIGHTING MEASURES

See Section 9 for Flammability Properties

NFPA Ratings: Health: 3 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Flammable Properties

Negligible fire hazard. Containers may rupture or explode if exposed to heat. Gas/air mixtures are explosive.

Extinguishing Media

carbon dioxide, regular dry chemical

Large fires: Use regular foam or flood with fine water spray.

Fire Fighting Measures

Move container from fire area if it can be done without risk. Cool containers with water spray until well after the fire is out. Stay away from the ends of tanks. For fires in cargo or storage area: Cool containers with water from unmanned hose holder or monitor nozzles until well after fire is out. If this is impossible then take the following precautions: Keep unnecessary people away, isolate hazard area and deny entry. Let the fire burn. Use extinguishing agents appropriate for surrounding fire. Cool containers with water spray until well after the fire is out. Apply water from a protected location or from a safe distance. Do not get water directly on material. Reduce vapors with water spray. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas. Consider downwind evacuation if material is leaking.

Section 6 - ACCIDENTAL RELEASE MEASURES

Water Release

Subject to California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65). Keep out of water supplies and sewers.

Occupational spill/release

Stop leak if possible without personal risk. Avoid contact with combustible materials. Keep unnecessary people away, isolate hazard area and deny entry. Ventilate closed spaces before entering.

Safety Data Sheet

Material Name: NITROUS OXIDE

SDS ID: 00232583

Section 7 - HANDLING AND STORAGE

Storage Procedures

Store and handle in accordance with all current regulations and standards. Subject to storage regulations: U.S. OSHA 29 CFR 1910.105. Keep separated from incompatible substances. U.S. OSHA 29 CFR 1910.101.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Analysis

NITROUS OXIDE (10024-97-2)

ACGIH: 50 ppm TWA

NIOSH: 25 ppm TWA (over the time exposed to waste anesthetic gas); 46 mg/m³ TWA (over the time exposed to waste anesthetic gas)

Component Biological Limit Values

There are no biological limit values for any of this product's components.

Ventilation

Provide local exhaust ventilation system. Ensure compliance with applicable exposure limits.

PERSONAL PROTECTIVE EQUIPMENT

Eyes/Face

For the gas: Eye protection not required, but recommended. For the liquid: Wear splash resistant safety goggles. Contact lenses should not be worn. Provide an emergency eye wash fountain and quick drench shower in the immediate work area. Eye protection not required, but recommended.

Protective Clothing

For the gas: Protective clothing is not required. For the liquid: Wear appropriate protective, cold insulating clothing. Protective clothing is not required.

Glove Recommendations

Wear appropriate chemical resistant gloves. Wear insulated gloves.

Respiratory Protection

Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

Respiratory protection is ranked in order from minimum to maximum.

Consider warning properties before use.

Any supplied-air respirator with a full facepiece that is operated in a pressure-demand or other positive-pressure mode.

Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode.

For Unknown Concentrations or Immediately Dangerous to Life or Health -

Any supplied-air respirator with a full facepiece that is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained breathing apparatus operated in pressure-demand or other positive-pressure mode.

Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Safety Data Sheet

Material Name: NITROUS OXIDE

SDS ID: 00232583

Physical State: Gas	Appearance: Not available
Color: colorless	Physical Form: gas
Odor: sweet odor	Odor Threshold: Not available
Taste: sweet taste	pH: Not available
Melting/Freezing Point: -91 °C	Boiling Point: -89 °C
Decomposition: Not available	Evaporation Rate: Not available
Vapor Pressure: 760 mmHg @ -88 °C	Vapor Density (air = 1): 1.530
Density: 1.8122 g/L @ 25 °C	Water Solubility: 59 % @ 25 °C
Log KOW: Not available	Auto Ignition: Not available
Viscosity: 0.0145 cP @25 °C	Molecular Weight: 44.01
Molecular Formula: N2-O	

Solvent Solubility

Soluble: sulfuric acid, alcohol, alkali solutions, ether, oils

Section 10 - STABILITY AND REACTIVITY

Chemical Stability

Stable at normal temperatures and pressure.

Conditions to Avoid

Avoid contact with combustible materials. Protect from physical damage and heat. Containers may rupture or explode if exposed to heat.

Materials to Avoid

combustible materials, metals, bases, reducing agents, peroxides, metal salts, metal oxides

Decomposition Products

oxides of nitrogen

Possibility of Hazardous Reactions

Will not polymerize.

Section 11 - TOXICOLOGICAL INFORMATION

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

NITROUS OXIDE (10024-97-2)

Inhalation LC50 Rat >250 ppm 4 h

Component Carcinogenicity

NITROUS OXIDE (10024-97-2)

ACGIH: A4 - Not Classifiable as a Human Carcinogen

Target Organs

NITROUS OXIDE (10024-97-2)

central nervous system

Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity

No LOLI ecotoxicity data are available for this product's components.

Safety Data Sheet

Material Name: NITROUS OXIDE

SDS ID: 00232583

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose in accordance with all applicable regulations.

Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

Section 14 - TRANSPORT INFORMATION

US DOT Information

Shipping Name: Nitrous oxide

UN/NA #: UN1070 **Hazard Class:** 2.2

Required Label(s): 2.2, 5.1

TDG Information

Shipping Name: Nitrous oxide

UN #: UN1070 **Hazard Class:** 2.2

Required Label(s): 2.2, (5.1)

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA 311/312

Acute Health: Yes **Chronic Health:** No **Fire:** No **Pressure:** Yes **Reactive:** No

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
NITROUS OXIDE	10024-97-2	Yes	Yes	Yes	Yes	Yes

The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):

WARNING! This product contains a chemical known to the state of California to cause reproductive/developmental effects.

Canada WHMIS

The following components are identified under the Canadian Hazardous Products Act Ingredient Disclosure List

NITROUS OXIDE (10024-97-2)

0.1 %

Component Analysis - Inventory

Component	CAS	US	CA	EU	AU	PH	JP	KR	CN	NZ
NITROUS OXIDE	10024-97-2	Yes	DSL	EIN	Yes	No	Yes	Yes	Yes	Yes

Section 16 - OTHER INFORMATION

SDS Update: 3/4/2011

Safety Data Sheet

Material Name: NITROUS OXIDE

SDS ID: 00232583

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; RID - European Rail Transport; RTECS - Registry of Toxic Effects of Chemical Substances®; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States

Other Information

Polar Cryogenics makes no express or implied warranties, guarantees or representations regarding the product or the information herein, including but not limited to any implied warranty or merchantability or fitness for use. Polar Cryogenics shall not be liable for any personal injury, property or other damages of any nature, whether compensatory, consequential, exemplary, or otherwise, resulting from any publication, use or reliance upon the information herein.

End of Sheet 00232583